

3 February 1965

Page 6

ELECTRONIC SITE "C", LAUNCH COMPLEX "A"
SARY-SHAGAN ANTIMISSILE TEST CENTER, USSR

1. [] REVEALED A NEWLY IDENTIFIED FACILITY, POSSIBLY ELECTRONIC IN FUNCTION.
2. [] CONFIRMED THE ELECTRONIC FUNCTION OF THIS INSTALLATION.
3. ELECTRONIC SITE "C" HAS BEEN COVERED BY NUMEROUS KH MISSIONS RESULTING IN THE IDENTIFICATION OF 4 ROAD-SERVED, SEPARATELY-FENCED, WIDELY-SPACED FACILITIES: A CONTROL CENTER, THE SW EXTREMITY, THE NE EXTREMITY, AND THE 50 FT DOME AREA. THE CONTROL CENTER CONSISTS OF A MODIFIED L-SHAPED BUILDING, 2 APRON-SERVED BUILDINGS, AND 5 ADDITIONAL BUILDINGS. THE NE EXTREMITY, A MIRROR-IMAGE OF THE SW EXTREMITY, CONSISTS OF A TOWER-LIKE STRUCTURE SITUATED ON A RECTANGULAR CONCRETE APRON. THE DOMED AREA CONSISTS OF A 50 FT DOME, 1 BUILDING AND SEVERAL SMALL STRUCTURES.
4. THIS MISSION REVEALS NO CHANGE IS OBSERVED IN FACILITIES AT THE CONTROL CENTER SINCE [] NO ELECTRONICS FACILITIES CAN BE IDENTIFIED AT THE CONTROL CENTER NOR IS ANY ELECTRONIC EQUIPMENT DISCERNIBLE ON THE ROOFS OF THE BUILDINGS. APPROXIMATELY 800

Declass Review by NGA

These notes have been prepared for briefing purposes only and should not be used for detailed analytical work. Their use should be restricted to the particular briefing board(s) they were prepared for and must be considered valid only for the reporting period as indicated by the date of issue.

TOP SECRET

TOP SECRET

3 February 1965

Page 4

FT WEST OF THE CONTROL CENTER IS A SECURED AREA CONTAINING A 50 FT DOME (PRESENT IN APR 60) AND A BUILDING HAVING A POSSIBLE UNDERGROUND ENTRANCE. THE FENCE LINE IS EXTENDED TO THE NNW TO INCLUDE 2 UNOCCUPIED RADAR MOUNDS (ONE OF WHICH IS OFF GRAPHIC), THE APPROXIMATE SITE OF A TOKEN TYPE RADAR (ALSO NOTED ON APR 60 PHOTOGRAPHY). THE SW EXTREMITY (NOT SHOWN ON GRAPHIC) OF ELECTRONIC SITE "C" CONSISTS OF A DISTINCTIVE TOWER HAVING 2 LARGE BACK-TO-BACK PARABOLIC REFLECTORS WITH A FEED AND WAVE GUIDE AND FEED AND WAVE GUIDE SUPPORTS. THE TOWER IS POSITIONED ON A SOMEWHAT ELEVATED APRON WITH A LOW BUILDING, PROBABLY SEMI-BURIED, ABUTTING IT AT ITS NW CORNER. IN MAJOR COMPONENTS, THE NE EXTREMITY IS A MIRROR IMAGE OF THE SW EXTREMITY. THE SAME DISTINCTIVE TOWER WITH 2 BACK-TO-BACK LARGE PARABOLIC REFLECTORS WITH A FEED AND WAVE GUIDE AND FEED AND WAVE GUIDE SUPPORTS IS POSITIONED ON A SOMEWHAT ELEVATED APRON WHICH HAS AN UNDERGROUND ENTRANCE AT THE NORTH END. THIS ENTRANCE IS NOT PRESENT AT THE SW EXTREMITY. A TALL PROBABLE CRANE WITH A SUPPORT, WHICH HAS BEEN THERE SINCE APRIL 63, IS NOT AT THE SW EXTREMITY. THERE IS NO EVIDENCE OF ANY DIFFERENCE BETWEEN THE 2 DISTINCTIVE TOWERS, ALTHOUGH THE NE TOWER WAS COVERED BY AN ENVIRONMENTAL SHELTER OR DOME-LIKE STRUCTURE ON DEC 63 AND FEB 64 COVERAGE. A CIRCULAR RIDGE-LIKE

These notes have been prepared for briefing purposes only and should not be used for detailed analytical work. Their use should be restricted to the particular briefing board(s) they were prepared for and must be considered valid only for the reporting period as indicated by the date of issue.

TOP SECRET

TOP SECRET


3 February 1965

Page 8

PATTERN IS OBSERVED ON THE APRON ENCIRCLING THE TOWER AT THE NE
EXTREMITY WHICH IS NOT DISCERNIBLE AT THE SW EXTREMITY (ALTHOUGH
SUCH A PATTERN HAS BEEN PREVIOUSLY OBSERVED THERE).

These notes have been prepared for briefing purposes only and should not be used for detailed analytical work.
Their use should be restricted to the particular briefing board(s) they were prepared for and must be considered valid
only for the reporting period as indicated by the date of issue.

TOP SECRET



Page Denied

Approved For Release 2006/10/17 : CIA-RDP78T05929A000600020005-8

RECEIVED
FEB 11 1968
U.S. AIR FORCE
AIR FORCE
AIR FORCE

CSD/REF/RAS

Approved For Release 2006/10/17 : CIA-RDP78T05929A000600020005-8